



LISN Calibration Request Form

Section 1: Company & Shipping Info

Purchase Order #:

Company Name:

Company Address (Street, City, State, Zip):

Technical Contact/End User Name:

Purchasing Contact:

Phone #:

Phone #:

Fax #:

Fax #:

Email:

Email:

Name on Certificate:

Address on Certificate (Street, City, State, Zip):

"Ship To" Name:

"Ship To" Address (Street, City, State, Zip):

Return Shipping Company (FedEx, UPS, etc.):

Return Shipping Method (1 day, 2 day, ground, etc.):

Customer's Account Number:

Section 2: Calibration Information

Manufacturer:

Model:

Serial Number:

Asset Number:

If unit has been previously calibrated by us and same cal interval, cal standard, and cal requirements are needed please indicate so here and then sign & date at bottom of form:

SAME AS LAST YEAR.

Otherwise, continue filling out the form below:

Calibration Interval (1 year, 2 year, Client Discretion, etc.):

Calibration Standard – Add Date if Applicable:

ANSI C63.4

CISPR 16-1-2

CISPR 25

MIL STD

DO160

ISO 7637-2

MFR. Specs

Other (Specify)

Calibration Requirements – Please fill in the calibration parameters:

Lines or Phases:

Single Phase 1 Line

Single Phase 2 Lines

3 Phase 4 Lines

3 Phase 6 Lines

Other:

Frequency Range:

50μH LISNs

9kHz-30MHz

10kHz-30MHz

150kHz-30MHz

10kHz-100MHz

Other:

5μH LISNs

150kHz-65MHz

150kHz-100MHz

150kHz-108MHz

150kHz-400MHz

10kHz-1GHz

150kHz-1GHz

Other:

Special Requirements – Additional costs may be added

Calibrate with customer supplied NEMA/SCHUKO adapter

Calibrate with and without NEMA adapter

Other:

Limited Calibration Approval: Customers may want a LISN calibrated to a standard it may not have been manufactured to meet. An older LISN may have been manufactured to meet a standard but may not meet the requirements outlined in the newest version. In cases like this, please pre-approve a Limited Calibration if applicable.

Yes

No

Call or email for approval on a limited calibration

Notes:

1. Please send a copy for each unit
2. If calibration standard or requirements are not listed, calibration will be performed to our default standard.
3. If calibration standard is customer's internal standard, a paper or electronic copy must be given to Keysight.
4. All companies must complete and return our shipping waiver before units can be returned.
5. All information **MUST** be completed. If form is not completed and signed, calibration will be delayed.
6. A hardcopy purchase order or credit card info must be on file in order for calibration to be performed.

Customer Approval Signature

Date

Please email this form to quotes.lc@keysight.com for an estimate.